

N42237.AR.001066  
NSB KINGS BAY  
5090.3a

LETTER REGARDING NOTICE OF DEFICIENCY FOR INTERIM CORRECTIVE MEASURE  
SCREENING INVESTIGATION PROGRESS REPORT SITE 11 NSB KINGS BAY GA  
6/23/1993  
U S NAVY

4.1.1.1.1  
3.7.2

23 June 1993

Mr. Bruce Khaleghi  
Unit Coordinator  
Hazardous Waste Management Branch  
Georgia Department of Natural Resources  
205 Butler Street, S. E.  
Suite 1252  
Atlanta, Georgia 30334

RE: Notice of Deficiency  
Interim Corrective Measure Screening Investigation Progress Report Site 11  
Naval Submarine Base Kings Bay, Georgia

Dear Mr. Khaleghi,

We are in receipt of your letter dated 7 June 1993 regarding the deficiencies on the above mentioned report. We request a forty-five (45) day extension for the delivery of the final report. The report is also being reviewed by Region IV EPA, Federal Facilities Branch, Mr. James Barksdale, and we would prefer to incorporate all comments into the final report. NSB Kings Bay will provide you with a Response to Comments table addressing all of your concerns by 8 July 1993. Regarding Item 1, NSB Kings Bay will submit the certification required. Responses to Items 2 through 11 will be addressed by our Contractor, ABB Environmental Services, Inc., and forwarded to you by NSB Kings Bay.

If the proposed schedule meets your approval, we would appreciate a reply. Captain Len Scullion will be calling you on ?????? to discuss this with you personally. We have forwarded this letter to you today via fax due to the response date you have requested, and will mail a hard copy by certified mail today. Thank you in advance for your cooperation.

Sincerely,

M.W. O'Neal  
Captain, U.S. Navy